



AGRITECH
EQUIPMENT

JHB BRANCH
26 Brunel Road
Tulisa Park,
Johannesburg
2197

Office
011 613 8711

CPT BRANCH
11 Rand Road
Blackheath
Cape Town,
8001

Office
021 905 2260

www.agritechequip.com

TRAILED ATOMIZER MODEL SIZE 19




- NEWLY DESIGNED POLYETHYLENE TANKS.
- INTEGRATED SINKS & SINKS.
- PRODUCT FILLER AND MIXER.
- CENTRAL PANEL FOR CONTROL OF AUXILIARY TANKS & AGITATORS.
- ZENY PUMPS OF 150LTRS/MIN
- SONAR COMPUTER WITH GUIDE VALVE (OPTIONAL).
- 920 AND 1000 DIAMETER COMPUTERS WITH 2V.
- BRAKES & HOMOLOGATION ACCORDING TO EURO PEAN REGULATION 167/2013.
- CROSSBOWS (OPTIONAL).
- TRANSMISSION HOMOCINETICA.
- NEW MYRTEA MODEL FAN.



TANK CAPACITY(L)	LENGTH	WIDTH	HIGHT	WHEELS
2000 L	4200	2100	1800	11.5/80-15.3
3000 L	4500	2180	1950	400/60-15.5
4000 L	5000	2300	2000	400/60-15.5

Measurements may vary depending on machine configuration. Herpa reserves the right to modify measurements and models without prior notice.

TRAILED ATOMIZER MODEL TORNADO 19



- NEWLY DESIGNED POLYETHYLENE TANKS.
- INTEGRATED SINKS & SINKS.
- PRODUCT FILLER AND MIXER.
- CENTRAL PANEL FOR CONTROL OF AUXILIARY TANKS & AGITATORS.
- ZENY PUMPS OF 150LTRS/MIN
- 2-WAY ELECTRIC CONTROL
- SONAR COMPUTER WITH GUIDE VALVE (OPTIONAL).
- BRAVO COMPUTER & GUIDING GPS (OPTIONAL).
- 920 AND 1000 DIAMETER COMPUTERS WITH 2V.
- BRAKES AND HOMOLOGATION ACCORDING TO EUROPEAN REGULATION 167/2013.
- CV TRANSMISSION (OPTIONAL)
- THERMO-LACQUERED CHASSIS.
- NEW MYRTEA MODEL FAN.

TANK CAPACITY(L)	LENGTH	WIDTH	HIGHT	WHEELS
1000 L	3500	1350	1500	10.0/80-12
1500 L	4150	1450	1600	10.0/80-12
2000 L	4200	1700	1800	10.0/75-15.3
3000 L	4500	2180	1950	11.5/80-15.3

Measurements may vary depending on machine configuration. Herpa reserves the right to modify measurements and models without prior notice.

TRAILED ATOMIZER MODEL FIBERGLASS



- NEWLY DESIGNED POLYETHYLENE TANKS.
 - INTEGRATED SINKS AND SINKS.
 - ZENY PUMPS OF 90 AND 120LTRS/MIN
 - 2-WAY ELECTRIC CONTROL
 - SONAR COMPUTER (OPTIONAL).
 - BRAKES AND HOMOLOGATION
- ACCORDING TO EUROPEAN REGULATION 167/2013.
- CV TRANSMISSION (OPTIONAL)
 - THERMO-LACQUERED CHASSIS.
 - ROTATING LANCE AND CONSTANT VELOCITY TRANSMISSION (OPTIONAL).

TANK CAPACITY (L)	LENGTH	WIDTH	HIGHT	WHEELS
1000 L	3400	1350	1300	10.0/80-12
1500 L	3640	1500	1500	10.0/80-12
2000 L	4220	1500	1540	10.0/75-15.3

Measurements may vary depending on machine configuration. Herpa reserves the right to modify measurements and models without prior notice.

SUSPENDED ATOMIZER



- EQUIPMENT FOR TRACTORS FROM 50 HP
- NEWLY DESIGNED POLYETHYLENE TANKS.
- INTEGRATED SINKS AND SINKS.
- ZENY PUMPS OF 90 AND 120LTRS/MIN
- 2-WAY ELECTRIC CONTROL
- SONAR COMPUTER (OPTIONAL).
- 620, 720 AND 820 SINGLE AND TWO SPEED FANS
- REINFORCED TRANSMISSION
- THERMO-LACQUERED CHASSIS.

TANK CAPACITY(L)	LENGTH	WIDTH	HIGHT
1000 L	3400	1500	1300
1500 L	3640	1600	1500
2000 L	4220	1800	1540

Measurements may vary depending on machine configuration. Herpa reserves the right to modify measurements and models without prior notice.