



## DISCO 32

\*South Africa standard specification 2024

- disc mower for three-point attachment, cat. II
- working width 3.00 m
- 95° folding angle in transport position
- low engine speed concept with speed reduced to 460 rpm

### MAX CUT mower bed:

- 7 mowing discs with integrated SAFETY LINK safety module
- mower bed supported from both sides
- continuously lubricated mower bed with precision-ground gears (20 mm thick)
- bolted, torsionally strong mower bed design
- wave-shaped base plate pressed from a single piece of steel for tunnel effect
- mowing discs mounted further to the front with HD wear protection
- MAX CUT fittings made from hardened forged steel
- knife holder with tungsten carbide coating
- quick knife change

### Mower body suspension:

- centre of gravity suspension with adjustable springs
- mower bed suspended at centre of gravity by outer springs
- intermediate frame suspended by inner springs

### \*South African standard specification 2024

- 1) The above configuration is intended as general information.
- 2) The right to make modifications is reserved. Please always consult your CLAAS authorised importer as the sole source of current information on our vehicle's technical features.
- 3) All pictures shown are for illustration purposes only. Actual product may vary due to product enhancement.



- knife box
- weight: approx. 750 kg
- hydraulic requirements: 1x sa
- assembly time for basic machine approx. 6 hours

**\*South African standard specification 2024**

- 1) The above configuration is intended as general information.
- 2) The right to make modifications is reserved. Please always consult your CLAAS authorised importer as the sole source of current information on our vehicle's technical features.
- 3) All pictures shown are for illustration purposes only. Actual product may vary due to product enhancement.



Details of the selected product

| Option                      | Description                             | Price    |
|-----------------------------|-----------------------------------------|----------|
| <b>Additional Equipment</b> |                                         |          |
| DI_B02/0540                 | DISCO 32 with quick knife change        | Standard |
| DI_C03/0030                 | Wear skids                              | Standard |
| DI_G03/0120                 | + Outside swathing plate, spring-loaded | Standard |
| DI_P02/0010                 | Drive 540 rpm                           | Standard |
| DI_R03/0210                 | + Headland lift limiter                 | Standard |
| DI_S02/0560                 | Accessories DISCO 32                    | Standard |
| DI_S06/0030                 | Technical documentation, English        | Standard |
| DI_T02/0020                 | Comes in crate                          | Standard |

**\*South African standard specification 2024**

- 1) The above configuration is intended as general information.
- 2) The right to make modifications is reserved. Please always consult your CLAAS authorised importer as the sole source of current information on our vehicle's technical features.
- 3) All pictures shown are for illustration purposes only. Actual product may vary due to product enhancement.