Dustin Bishop
Configuration created on 24 Oct 2024



ARION 620 C

(ZA B20 210 2025)

Details of the selected product

Option		Description	
Driveline & Engine			
TD_N06/0006		Front axle, standard	Standard
TD_N04/0004		Transmission ratio 40 km/h	Standard
TD_N02/0002		Transmission without creeper range	Standard
TD_I04/0002		16/16 gear QUADRISHIFT transmission	Standard
TD_N08/0004		Rear axle, standard flanged axle	Standard
TD_P02/0004		99 kW/135 hp rated output, 140 hp max. output, ISO	Standard
TD_P04/0001		Diesel pre-filter (water separator)	Standard
TD_P06/0007		Battery isolator switch	Standard
TD_P18/0021		Fuel tank 280 l	Standard
TD_P08/0020		White diesel	Standard
TD_P10/0000		Without cold start kit	Standard
Hydraulics			
TD_K02/0012	+	Open-centre hydraulics, 98 l/min	
TD_K04/0003	+	3x mechanical spool valves	
TD_K12/0000	+	Without Power Beyond	
Front Attachment			
TD_B02/0001		Front weight carrier, 100 kg	Standard
TD_K10/0002		Without front hydraulic connectors	Standard
TD_T06/0000		Without factory-fitted front loader bracket	Standard
Rear Attachment			
TD_J02/0004		Standard ELC (electronic linkage control)	Standard
TD_J04/0008		Top and lower links with cat. 3/3 hooks	Standard
TD_J10/0007		Long ladder hitch with slot for drawbar	Standard
TD_J14/0001		Swinging drawbar	Standard
TD_J16/0000	+	Without rear clevis	
TD_J42/0000		Without air brakes	Standard
TD_J44/0001		Hydraulic trailer brakes	Standard

TD_N10/0012		PTO 540/1000 rpm	Standard
TD_N14/0004		PTO stubs, 21 splines and 6 splines, 1 3/8"	Standard
Cabin & Comfort			
TD_Q02/0002		6-pillar cab with 4-point suspension	Standard
TD_R04/0055		Comfort seat, fabric, air-suspension, swivelling	Standard
TD_R06/0025		Passenger seat with safety belt	Standard
TD_Q04/0010		Standard cab roof, tested to FOPS and EAC	Standard
TD_R08/0040	+	Air conditioning, HD with prefilter	
TD_R10/0000	+	Radio-prepared	
TD_Q56/0001		2x halogen road lights, 2x halogen work lights on bonnet	Standard
TD_Q58/0003		Halogen work lights: 4x roof, front and 4x roof, rear	Standard
TD_Q08/0001		Rear windscreen wiper	Standard
TD_Q14/0006		Mechanical exterior mirrors, telescopic	Standard
Operator Assistance Systems			
TD_I22/0110		AUTO PILOT / GPS PILOT-ready	Standard
TD_I40/0030	+	Steering interface-ready	
Data Management			
TD_I36/0010		Machine connect licence – 5 years	Standard
TD_I25/0162		CLAAS communication module (LTE)	Standard
Tyres			
TD_103/5910	+	520/70 R38 standard tyres / adjustable rim	
TD_102/3510	+	420/70 R28 standard tyres / adjustable rim	
Mudguards			
TD_N22/0120	+	Front mudguards, 470 mm	
TD_Q18/0018		Mudguard extensions with 2x 150 mm extension	Standard
Additional Equipment			
TD_B04/0015		Removable front weights, 700 kg	Standard
TD_S06/0002		Flashing beacon	Standard
TD_S16/0000		Without preparation for fire-extinguisher	Standard
TD_S02/0000		Without special safety stickers	Standard

TD_S04/0002	Left-hand drive	Standard
TD_S08/0004	Tier 3 emissions standard	Standard
TD_S01/0140	Sticker 40 km/h	Standard
TD_S22/0003	Identification plate, international	Standard
TD_T03/0010	Transport protection for overseas	Standard
TD_T02/0010	Truck transport	Standard
Other		
TD_R12/0001	Cooler compartment, 1.5 l	Standard
TD_N00/0003	REVERSHIFT clutchless reverser, hydraulic	Standard
TD_I06/0010	ISOBUS equipment	Standard
MAXI CARE		
MC_CON/0000	Without MAXI CARE	

CLAAS Code: CCRJ3538

With the CLAAS code, you can call up your configuration in the configurator at a later time or retrieve it again at your CLAAS sales partner. Please note that the code may lose its validity in case of changes to the product range or the price list.

1) All prices shown are recommended prices of CLAAS KGaA mbH for authorised CLAAS sales partners and are exclusive of applicable VAT, packaging and freight costs. The configuration is merely intended as non-binding general information. Please contact a CLAAS sales partner for a specific offer, additional details and comprehensive consultancy. Prices are subject to changes. Errors excepted.

2) The CLAAS code refers to a stored configuration, which can be retrieved from the configurator. If you generate a PDF file, for example, the configuration is saved anonymously at the same time. CLAAS sales partners can load this configuration using the CLAAS code and provide further consultancy to you. Please note that the code may expire if the product range or price list is updated.

3) The machines shown feature some optional equipment that is subject to additional costs and differs from your personal configuration. The configuration is merely intended as non-binding general information and cannot replace comprehensive, individual consultancy for a purchase decision. The technical features and equipment shown for the configured machine are merely examples, and such features and equipment may be subject to country-specific variations, above all. The right to make modifications at any time is reserved. Please always consult your CLAAS authorised dealer or importer as the sole source of binding, current information on our vehicles' technical features, equipment or properties.

All information is based on local market characteristics.