

SAVE LABOUR. BE MORE PRODUCTIVE... GET THE RIGHT EQUIPMENT.

OUR BUSINESS IS BUILT ON RELATIONSHIPS, NOT TRANSACTIONS.

Well-made Equipment @ Great Prices.

36-month warrantee!!!

Unbeatable Customer & After Sales Service!

CONTACT DEON FOR FRIENDLY SERVICE ON 078 800 1465

Or send a mail to Staalplaas@gmail.com

Please note: Prices indicated are Ex Vat (30 01 24)

ALL ITEMS COME STANDARD IN GREEN.

CATTLE EQUIPMENT

FEEDERS

Feed is expensive- Make it last longer. The saving will pay for the feeder many times over!

750kg SELF FEEDER (Feeding space 2.4m x 2)





- * Ideal for creep feed.
 - * Roof slides open for easy loading.
 - * Bolt together construction means up to 3 units can be transported on a bakkie.
(Assemble in 20 minutes.)
 - * Agitator chain set continually moves to prevent fine feed from binding in the hopper.
 - * Feet with spike holes to prevent it being pushed around.
 - * Robust Construction. 1.6mm plate with 50x50 tube frame
- Only R13990 each**



1.8 M Ø HAY FEEDER **STANDARD DUTY**

- Split – Design: Easy to Transport.
- Load multiple units on a bakkie.



- Robust all steel construction. (Frame 32mm Tube, Diagonals 25mm tube.)
- Design proven over many years.
- Epoxy Powder Coated for longer life.

Only R2490 STD

Only R3990
(with 1mm plating around bottom for less wastage)



HORSE HAY FEEDER

- ✓ **Based on a Proven US Design**
- ✓ Adapted to the way horses feed.
- ✓ Feed 8 Horses simultaneously
- ✓ 100 mm high feet keeps bottom of ring out of mud.
- ✓ Split Design makes it easy to transport multiple units on a bakkie.
- ✓ **Only R4290**



Calf Creep Feed Panel (Adjustable)

Used with Cattle Handling Panels to create an area around the feed holder so that only the calves can access the feed.

Gates measure 2.6m long by 1.6m high
Height of opening easily adjustable- just remove the lynch pin and slide the bar to the required height.
Robust 48Ø tube construction.

Only R2290 for a strong height adjustable panel.

CATTLE CIRCULAR FORCE PEN - Dramatically Reduce Labour and Time.

(video on our website: <https://staalplaas.co.za/cattle-equipment/>)



USE THE NATURAL INSTINCTS OF YOUR CATTLE TO YOUR ADVANTAGE

LESS LABOUR

LESS TIME

REDUCED ANIMAL STRESS LEVELS

REDUCE THE RISK OF INJURY TO HUMANS AND ANIMALS


Cattle has a natural tendency to circle their handler. Moving in a circular fashion makes the animal feel it is moving back towards the place it came from, where it felt secure, as opposed to feeling like moving into unknown territory. Research has shown that handling cattle in circular pens is up to 30% more efficient, **taking almost 1/3 rd less time to perform the same operations.**

Use our Circular Force Pen to easily get animals lined up and flowing into the race.

FEATURES

The Force Pen (8m Ø) holds up to 30 animals at a time.

Unique 250 ° (instead of 180°) design, this configuration makes the link up to the crush more effective by reducing the area where the sweep gate cannot reach.



Convenient Left and Right Hand Exit Gates




Convenient walk thru for humans, no need to climb over the fence.

Release problem animals from the pen out to pasture or back to the holding area for later entry into the race.

Sorting of animals

Quick exit in case of emergency.

ROBUST CONSTRUCTION. DESIGNED FOR EASY RELOCATION



Side Panels are 1.6m High.

Robust construction: 6 x Crossbars of 48x2 round tube.

38 x 2 round tube vertical supports welded between all crossbars- this greatly increases the strength of the panels.

Panels are bolted together with slotted (for vertical & horizontal adjustment) 8mm plate mounting lugs, welded externally to the tubing.

No bolt holes puncture structural tubes- preventing rust from the inside.

Joins between panels allows for vertical and horizontal adjustment- making it easy to assemble in the field.



Exit Gates fitted with latch bolts as well as chain latches. The chain latches make it easy to tie the gate into an open position onto another section of the kraal area.

The pillar top features adjustable crowns with slots to enable you to mount the top support arms easily on uneven ground.



The Central Pillar is made of a 101 Ø pipe.

Removable Extra Heavy-Duty Hinges are adjustable, so that the sweep gate can be adjusted to make provision for uneven ground.

The pillar footplate is slotted so that it can be bolted to concrete or fixed to soil with dropper pins for installations in the veld.

The pillar doesn't need to be buried in concrete thus making it easy to remove and reinstall in another position.

DESIGNED FOR EASY RELOCATION

Can be permanently mounted or easily transported between farms. It takes around 30 minutes to assemble in the field. The central pillar and curved panels have footplates with holes that can be used to bolt the panel to a concrete surface, or to secure it to the ground with dropper pins, for temporary installation. Also available with plated panels.

The Kit Includes:

Central Pillar with Adjustable Hinges and Mount Plate x1

Adjustable 4m Sweep Gate x1

Outer curved Panels x 5

Crush Connector Section with Swing Gate x 1

Pillar to Crush Panel with Swing Gate (4m) x 1

Overhead Support Beams x 7

Save time and labour: Order your Force Pen for only R46990.

Also available with plated panels.



ROBUST CATTLE HANDLING PANELS (3m x 1.6m)



Interlink to form crushes and pens.

***5 Cross Bars: Ensure Calves cannot escape!** (most panels on the market have only 4 crossbars)

***Robust Construction:**

***5mm Thick Foot Plates with holes to spike gate securely to the ground.**

***Crossbars are notched and fully welded to the frame-** (the popular method of knocking the ends of the crossbars flat to facilitate easier welding weakens the integrity of the panel.

A tube flattened for easier welding is no stronger than a flatbar at the weld join.)

We take extra time and care to fully notch cross tubes so that they saddle over the outer frame for a very strong weld.

KRAAL PANEL: Frame 48 x 2mm tube, Cross Bars 38 x 2mm Tube @ R1990

CRUSH PANEL: Frame 48 x 2mm tube, Cross Bars 48 x 2mm Tube + 38x2mm tube reinforcement between crossbars @ R2390



ROBUST CATTLE HANDLING PANEL – WITH SIDE GATE

Every facility needs a few of these, makes it easy to:

Sort into different pens.

Gives easy access to enclosure for humans.

Easily divert animals out of the crush.

Robust Bolted hinges and chain latches to secure in the open or close position.

Only R2990 (3m panel with 1m swing gate) R3290 (3m Panel with 3m Swing Gate)



CATTLE CRUSH SUPPORT ARCH

Links the 2 sides of the crush together to prevent it from being forced open from within.

Robust! Made from 48 x 2 Round Tube.

Only R929



CATTLE CRUSH SUPPORT ARCH with SWING GATE

Gate allows you to control flow of animals in crush.

Only R1799

BASIC- CATTLE 2 WAY SORTING GATE

Use at the end of the crush to sort cattle into different pens.

Only R2990



LEVER OPERATED CATTLE 2 WAY SORTING GATE



FEATURES:

+600mm wide human access gates swing gates.

No need to climb over the fence to reach the other side of the crush.

+Easy & Fast Lever operation to sort left or right.

+Wide gate ensure not even the biggest bull gets stuck.

+Footplates with holes to bolt or spike to ground.

+Change operation side from left to right hand of crush by undoing only 2 bolts.

Only R7990



Sort Right



Sort Left

LEVER OPERATED CATTLE 3 WAY SORTING GATE

3 - RIGTING SORTEERDER



* Na Links. Na Regs, of Vorentoe

STAALPLAAS.CO.ZA

FEATURES:

+1m m wide human access gates swing gates.

No need to climb over the fence to reach the other side of the crush.

+Easy & Fast Lever operation to sort left or right.

+Wide gate ensure not even the biggest bull gets stuck.


+Footplates with holes to bolt or spike to ground.

+Change operation side from left to right hand of crush by undoing only 2 bolts.

Only R9990

Wide Opening Neck Clamp

(video on our website: <https://staalplaas.co.za/cattle-equipment/>)



Proven Design.

Note the Foot Plate: The weight of the animal helps to anchor the clamp.

Feet have holes to bolt or pin to ground.

Wide Opening: No Obstructions that can cause injury, in the animal's path.

Robust 50mm square tube box frame.

Doors glide smoothly on top mounted rollers.

Your choice of door profile: Straight or with Aperture.

Only R9990

CRUSH SLIDE GATE



- ✓ Easily divide crush into sections.
- ✓ Prevent cattle from bunching and pushing.
- ✓ Use at back of neck clamp to isolate clamped animal from the pushing in the crush.
- ✓ Very Robust.
- ✓ Top Mounted large roller wheels to prevent fouling.
- ✓ **Only R5890**

CATTLE WEIGH & WORK CRATE with ADJUSTABLE BODY CLAMP

SAVE TIME, REDUCE LABOUR, PROTECT FROM INJURY



Both Side Panels Swing Open to Release Emergencies



Secure Work Area, at the Rear, for AI, Calf Pull etc.



Isolated from rest of crush by Sturdy Slide Gate



Access Door to easily work on both sides of crush.



Body Clamp Panel with 6 Access Doors each Side



Clamp Panels on Widest Adjustment 800mm (Not Clamped)



Panels on Widest Adjustment (Fully Clamped)



**Side Panels on 500mm wide adjustment, Fully Clamped
Note, how Wide the Neck Clamp Opens.**

Video on our website:

<https://staalplaas.co.za/cattle-equipment/>

+The Side Panels of the Body Clamp Crate can be Tilted Inwards and Locked in position with a ratchet lever action.

+The Side Panel position can be adjusted to suit the size of the animal:

(Width between panels can easily be adjusted, without the use of tools.: 800mm, 650 mm and 500mm wide, making it ideal to work with calves, as the reduced width of the crate prevent them from turning.)

The Complete Side Panel on both sides can swing open, making it easy to release emergencies.

Comes with brackets to attach scale bars. Buy a scale from us, or use your existing- custom brackets to suit any scale included in the price.

BODY CLAMP Weigh & Work CRATE COMPLETE WITH Removeable NECK CLAMP & SLIDE GATE:
Only R44990

DIGITAL SCALE WITH LOADBARS (bolts to brackets on crate) ONLY R12390

CATTLE SCALES

We supply Guaranteed, Locally Made, LMI Scales with Proven Service and Parts Backup.

	<u>WEIGH PLATFORM</u> Platform: R 5490 Electronic Scale with 2 x Load Cells : R12390
	<u>SLIDE GATE WEIGH CRATE</u> With 2x Slide Gates; R21900 With 1 Slide Gate & Neck Clamp: R 25900 Electronic Scale with 2 x Load Cells : R12390

CATTLE SPRAY RACE



WIN THE WAR ON TICKS--- AFFORDABLE, PORTABLE SPRAY RACE

Makes Dipping Easier and More Effective.

Built-In 600 l Tank. 3 Spray Arches x 9 Nozzles. TOTAL 27 NOZZLES!

Run Off recycles through floor into bottom tank.

Floor removes to give easy access to tank for cleaning.

On and Off Access Ramps. Link points for Kraal Panels.

Complete with Hoses, Couplings & Pump.

Load on a trailer and move between camps

Only R 46990. (Galvanised @ + R7490)

LOADING RAMPS



STATIC LOAD RAMP WITH RATCHET PULLEY HEIGHT ADJUSTMENT

Reach up to 1.6 m high.
Easy to adjust to any height to suit
trailers and bakkies.

Draw Bridge with anti-slip side
protection & Gates

Only R25900



Hi Speed Mobile Load Ramps

With different wheel size, lights and license
options.

Priced from R 37900

Please Call to discuss your
requirements.



Load Ramp and Portable Kraal Combinations



2.7 Ton Load Ramp Trailer

Carry Capacity for Portable Kraal (up to 20 Panels and accessories for Kraal and Crush)

Can be customized according to your requirements.

Typical Set:

12 x Fixed Kraal Panels.

1 x Kraal Panel with 3m Swing Gate.

3 x Heavy Duty Crush Panels.

1 x Heavy Duty Crush Panel with 1m Gate – For Sorting or Emergencies.

1 x Crush Slide Gate (Isolate Animal held in clamp).

1 x Heavy Duty, Wide Opening , Neck Clamp.

1 x Crush Support Arch.

EVERYTHING FOR ONLY R116 900.

CUSTOM DESIGNED KRAALS

We design and supply custom build kraal units to your requirements.
Call us to discuss your ideas and take your cattle management to the next level.



NOTES:


Prices are Ex Vat.

Prices are for Collection at Our Factory, at the Heidelberg / Balfour Offramp on the N3.

We can also deliver to your farm @ less than it will cost you to collect.

WHERE TO FIND US:

On the corner of the R23 and N3, Heidelberg South Offramp





We will gladly customize any item to your requirement.

Please call Deon on 078 800 1465 to discuss your requirements.